





Tribrid[®] Tag B1



AoA RFID

In- /Outdoor | [Article nr: 03.001.001](#)



Battery Life

Up to 10 years*

Tribrid[®] Tag B1 – 1.000 mAh

The Tag integrates Cavea[®] Wirepas Mesh, Bluetooth Low Energy (BLE), Angle of Arrival (AoA), and RFID into a single device. This allows for flexible adaptation to various use cases, enabling the user to select the appropriate technology based on the specific application.

Mounting

The tag can be attached as needed using adhesive, screws (screw holes Ø approx. 6 mm), cable ties, or Velcro tape. This allows the TRIBRID[®] Tag to be easily mounted on various objects, ensuring reliable tracking.

Battery Life

The stated battery lifetimes are based on operation with Mesh technology. When using AoA, the update rate can be higher, which results in a shorter battery life.



L: 96,82 mm
W: 49,51 mm
H: 13,00 mm



CR2477



-10 till 60° C



41 g



IP67

*Depending on configuration

Features



From < 1 m to 3 m accuracy depending on technology



Secure data transfer



Exchangeable battery



Made in Europe



Easy installation



omlox compatible



3-Axis-G sensor



Cavea[®] software

Compatible With The Following Hardware



Tribird Anchor



Cavea Mesh Gateways

Additional Benefits

Scalable

Track thousands of objects simultaneously and expand your system at any time – completely flexible.

Cost-Efficient

The combination of tracking technologies ensures maximum efficiency and a compelling ROI.

ISO-Compliant

The TAG complies with the ISO/IEC 15693 (NFC Forum Tag Type 5) and ISO/IEC 14443 (NFC Forum Tag Type 2) standards.

